Deliverable D1.2

Findings from systematic review of current policy for mitigation and management of CBRNe terrorism

Due date of deliverable: 31/12/2019

Actual submission date: 24/12/2019

Louise Davidson[1], Dale Weston[1], Richard Amlôt[1], Holly Carter[1]

1: PHE

Project details

Project acronym	PROACTIVE
Project full title	**PR**eparedness against CBRNE threats through c**O**mmon **A**pproaches between security pra**CTI**tioners and the **V**ulnerabl**E** civil society
Grant Agreement no.	832981
Call ID and Topic	H2020-SU-SEC-2018, Topic SU-FCT01-2018
Project Timeframe	01/05/2019 – 30/04/2022
Duration	36 Months
Coordinator	UIC – Grigore Havarneanu (havarneanu@uic.org)

Document details

Title	Findings from systematic review of current policy for mitigation and management of CBRNe terrorism
Work Package	WP1
Date of the document	24/12/2019
Version of the document	V5
Responsible Partner	PHE
Reviewing Partner	All
Status of the document	Final
Dissemination level	Public

Document history

Revision	Date	Description
01	13/12/2019	First Draft
02	16/12/2019	Reformatting of appendices
03	19/12/2019	Draft reviewed by UIC
04	20/12/2019	Draft reviewed by CBRNE
05	23/12/2019	Final version

Consortium – List of partners

Partner no.	Short name	Name	Country
1	UIC	UNION INTERNATIONALE DES CHEMINS DE FER (COORDINATOR)	France
2	CBRNE	CBRNE LTD	UK
3	PPI	POPULATION PROTECTION INSTITUTE (MINISTRY OF THE INTERIOR OF THE CZECH REPUBLIC)	Czech Republic
4	DB	DEUTSCHE BAHN AG	Germany
5	IGSU	INSPECTORATUL GENERAL PENTRU SITUATII DE URGENTA	Romania
6	UMU	UMEA UNIVERSITET	Sweden
7	DHPOL	DEUTSCHE HOCHSCHULE DER POLIZEI	Germany
8	RINISOFT	RINISOFT LTD	Bulgaria
9	WMP	WEST MIDLANDS POLICE AND CRIME COMMISSIONER	UK
10	ETICAS	ETICAS RESEARCH AND CONSULTING SL	Spain
11	SESU	STATE EMERGENCY SERVICE OF UKRAINE	Ukraine
12	PHE	DEPARTMENT OF HEALTH	UK
13	SPL	STATE POLICE OF LATVIA	Latvia
14	AGS	AN GARDA SÍOCHÁNA – NATIONAL POLICE FORCE IRELAND	Ireland
15	FFI	FORSVARETS FORSKNINGSINSTITUTT	Norway

List of acronyms

Acronym	Definition
EU	European Union
CBRNe	Chemical, Biological, Radiological, Nuclear, and explosive
T	Task
M	Month
D	Deliverable
WP	Work Package
SOP	Standard Operating Procedure
NATO	National Atlantic Treaty Organisation
JESIP	Joint Emergency Services Interoperability Programme
UK	United Kingdom
US	United States
NHS	National Health Service

Executive summary

The following deliverable is the second of the three set out for the PROACTIVE project for WP1 – Human factors analysis of preparedness and response. It reviews guidance documents relating to CBRNe incident management and aims to understand: (i) current policy and practice in the preparation for and management of CBRNe terrorism in different organisations and across different countries; (ii) current guidance and strategies for communicating with members of the public about CBRNe preparation and management; and (iii) the potential impact of current policy and practice in the preparation for and management of CBRNe terrorism on members of vulnerable groups.

This report presents the findings of current tools, SOPs and guidance documents, in order to identify current policy and practice for mitigation of CBRNe terrorism, across different countries and organisation. Findings show that across guidance documents, there seems to be a heavy reliance on practical and physical aspects of CBRNe management, yet documents tend to lack recognition for psychosocial aspects. In addition, there seem to be discrepancies in the information that is provided in guidance documents both within and between countries. There are several specific recommendations that can be drawn from this review: 1) Guidance and policy would benefit from incorporating up-do-date evidence-based advice on how members of the public are likely to respond in a CBRNe incident; 2) Guidance and policy should be updated to incorporate a detailed communication strategy for how emergency responders should communicate with casualties and members of the public during a CBRNe incident; 3) Guidance and policy should include a clear strategy on how to manage vulnerable groups in a CBRNe incident; and 4) Any discrepancies in documents should be reviewed both within and between countries to ensure consistency in recommendations on how emergency response organisations should respond to a CBRNe incident.

Acknowledgements

We would like to thank Danielle Carbon[1], Edgars Perijs[2], Laura Petersen[3], Åsa Burlin[4] and Alan Gavel[5] for proving us with documents of relevant guidance documents from their respective countries, including summaries in English of the key points outlined in the documents.

We would also like to thank all members of the PROACTIVE consortium for their feedback on the review strategy and outcomes.

1: DHPol, 2: SPL, 3: UIC, 4: UMU, 5: PPI

Table of contents

1. INTRODUCTION

Incidents involving chemical, biological, radiological, nuclear, and explosive (CBRNe) threats can have a significant impact on society, and the likelihood of these incidents occurring has increased in recent years due to technological advances and an increased willingness for terrorists to use more unconventional weapons (Schneidmiller, 2012). Whether they are accidental or intentional, CBRNe threats can be hard to detect, or even invisible. The immediate consequences of exposure to a CBRNe incident are often unknown as effects can be delayed for hours or even days. Because of this, the risks are often defined by a lack of perceived control with catastrophic potential and fatal consequences (Slovic, 1987; 2002; 2004), which consequently can increase public anxiety towards these kinds of incidents.

The way in which members of the public behave during CBRNe incidents will have a crucial impact on the outcomes from the incident. It is therefore important to understand the way in which members of the public are likely to behave during such incidents, and the factors that are likely to affect public behaviour. Traditional theories of crowd behaviour during emergencies suggest that members of the public are likely to 'panic' and behave in a disorderly way (e.g. La Piere, 1938; Le Bon, 1895; Smelser, 1963). However, these traditional theories have now been discredited and more recent research suggests that crowd behaviour in disasters is likely to be calm and orderly and that panic is in fact rare (e.g. Aguirre et al., 2011; Carter et al., 2012; Carter et al., 2015; Cornwell, 2001; Johnson, 1987; Quarantelli, 1954).

Despite the fact that traditional theories of crowd behaviour have now largely been discredited, guidance and training for emergency responders often continues to endorse outdated and discredited assumptions about crowd behaviour (e.g. mass panic, public disorder) (Carter et al., 2013a; Carter & Amlôt, 2016). The reliance on such assumptions has led to the development of crowd management strategies that focus on controlling members of the public (e.g. withholding information, disregarding public needs etc) during CBRNe incidents, rather than communicating with them. However, rather than mitigating against public disorder, these types of control management strategies may actually create public disorder, by reducing public trust in responders and increasing non-compliance with responder instructions (e.g. Carter et al., 2014).

In recent years, there has been an increased focus on research aiming to understand the psychosocial aspects of the management of mass emergencies (including those involving CBRNe agents), specifically the nature of the relationship between responders and members of the public and how different responder management strategies can affect public behaviour during mass emergencies (e.g. Carter et al., 2012; Carter at al., 2013b; Carter et al., 2015; Drury et al., 2009). This research shows that the way in which emergency responders manage a CBRNe incident will affect the way in which members of the public

behave and will therefore affect the outcomes of the incident (Carter & Amlôt, 2016; Carter et al., 2014; Carter et al., 2013a). It is essential to understand how responder management strategies can impact on public behaviour during CBRNe incidents, and to use this understanding to enhance guidance and training for CBRNe incident management.

Research indicates that the key psychosocial aspects that will impact on public behaviour during CBRNe incidents include: responders' understanding of the way in which their management of an incident can affect public behaviour; how effectively responders communicate with members of the public; and how well the needs of vulnerable groups are understood and prepared for. The aim of this research was to review current CBRNe management guidance documents to understand to what extent these key psychosocial aspects are embedded into current guidance. This review will identify and synthesize the state of the art concerning CBRNe preparedness and response to CBRNe terrorist incidents. The three key aims of this review are:

(1) To understand current policy and practice in the preparation for and management of CBRNe terrorism in different organisation across different countries.
(2) To understand current guidance and strategies for communicating with members of the public about CBRNe preparation and management.
(3) To understand the potential impact of current policy and practice in the preparation for and management of CBRNe terrorism on members of vulnerable groups.

2. METHOD

A search of open literature was conducted to identify any publicly available guidance documents relating to the management of CBRNe incidents. Documents were included if they: were publicly available; described guidance, practice or standard operating procedures in relation to preparedness and/ or management of CBRNe terrorism; were produced by a health, emergency service, or Government organisation and were designed for use by policy makers and/ or emergency responders; were available in English or able to be translated into English; were produced within the last 5 years (with the exception of translated documents which were not imposed a time limit).

The search was carried out between July and September 2019 using four different search strategies: (2.1) advanced Google search, (2.2) target website search, (2.3) consultation with project partners, and (2.4) grey literature data base search.

2.1 Advanced Google search

The search strategy began with an advanced Google search. Search terms were generated under three main categories: type of management (e.g. decontamination, lockdown); type of incident (e.g. chemical, radiological); and type of guidance (e.g. standard operating procedure, report). The phrases in these categories were then combined to create 38 separate search terms, for example "decontamination AND chemical AND (standard operating procedure OR guidance OR policy document OR report)", "operational response AND radiological AND (standard operating procedure OR guidance OR policy document OR report)" (see Appendix 1 for a full list of search terms). Due to the large number of results generated (up to 27,600,000 results on some searches), the search was limited to the first 200 documents from each set of results. The results were scanned for relevance and any relevant documents were flagged for later screening. In total, 53 relevant documents were identified and selected for further analysis from the advanced Google search.

2.2 Target website search

Websites of 17 relevant organisations were searched: National Fire Chiefs Council; National Police Chiefs Council; National Ambulance Resilience Unit; World Health Organisation; North Atlantic Treaty Organisation (NATO); Centers for Disease Prevention and Control; European Centre for Disease Prevention and Control; Pan American Health Organisation; International Atomic Energy Agency; NHS England; Government UK; Joint Emergency Services Interoperability Programme; Counter Terrorism Policing; Federal Emergency Management Agency; National Operational Guidance; Public Health Wales; Public Safety Canada. These websites were chosen based on previous reviews that have completed target website searches in similar areas (see Carter et al., 2013a; Carter et al., 2016). The websites were initially searched using the search terms: "CBR", "CBRN", "Chemical", "Biological", "Radiological", and "Nuclear". When these search terms generated a large number of results, they were then separately searched with "policy" and "guidance". For any search that generated over 200 results, only the first 200 results were searched. One website (Counter Terrorism Policing) did not have a search box on the website therefore the website was manually searched for any relevant documents. In total, 17 relevant documents were identified and selected for further analysis from this target website search.

2.3 Consultation with project partners

Project partners were contacted asking them to identify any relevant documents from their country and provide a summary in English. Twenty-five documents were returned from

France (n = 6), Czech Republic (n = 1), Latvia (n = 1), Austria (n = 1), Sweden (n = 1) and Germany (n = 15).

2.4 Grey literature database search

Three grey literature databases were searched: Toxnet (https://toxnet.nlm.nih.gov/); International Nuclear Information System (https://inis.iaea.org/search/); and Open Grey (http://www.opengrey.eu/). These databases were chosen based on their relevance to the overall aim of the review. Five search terms were used within each of these databases: "CBRN AND (guidance OR policy)", "Chemical AND (guidance OR policy)", "Biological AND (guidance OR policy)", "Radiological AND (guidance OR policy)", and "Nuclear AND (guidance OR policy)". For any search that generated over 200 results, only the first 200 results were reviewed. No additional relevant documents were identified using this search strategy.

In total, 95 relevant guidance documents were identified from 18 different countries (see Appendix 2 for a full list of countries) during the search and these were reviewed to identify: (i) whether a strategy for responding to a CBRNe incident is discussed, (ii) whether a strategy for communicating with members of the public during a CBRNe incident is specified, (iii) if there is guidance on how members of the public are likely to behave in a CBRNe incident, and (iv) whether there is a strategy for managing the impact of CBRNe incidents on vulnerable groups (see Appendix 2 for a full list of guidance documents identified).

2.5 Data Analysis

Data was analysed using the Framework Approach, which is a commonly used method for analysing qualitative research. It is useful for identifying commonalities and differences in qualitative data and has a focus on identifying relationships between different parts of the data (Gale et al. 2013). Three key stages of data analysis were carried out: (1) framework identification - based on themes derived from existing research (see Carter & Amlôt, 2016; Carter et al., 2013). Four themes were identified to be incorporated into the framework for analysis. The first theme was response strategy, and this incorporated any guidance that was provided in the documents which related to the overall response strategy to a CBRNe incident. The second theme was communication strategy, and this incorporated any guidance for responders on how to communicate with members of the public during a CBRNe incident. The third theme was public response and incorporated any information that the documents provided on how members of the public are likely to behave during a CBRNe incident. The final theme was vulnerable groups and incorporated any guidance provided on how emergency responders should manage vulnerable groups; (2) data coding - for each document, a code (also known as a descriptive or conceptual label) was applied

to any part of the document that provided information in line with the four pre-identified themes; and (3) data interpretation - codes within each theme were compared with each other and commonly arising themes, and any relationships between the themes, were able to be identified.

3. RESULTS

Findings from the guidance documents are described under four headings: 3.1 guidance on the overall response strategy; 3.2 guidance on how to communicate with members of the public; 3.3 guidance on likely public behaviour; and 3.4 guidance on how to deal with vulnerable groups. A summary results table can be found in Appendix 2.

3.1 Guidance on the overall response strategy during a CBRNe incident

Seven different management strategies are recommended to enable responders to manage CBRNe incidents: evacuation; disrobe; wet decontamination (improvised, interim, mass); dry decontamination; re-robing; commencing life-saving treatment prior to decontamination; shelter in place. These are described in more detail under the relevant sub-headings below.

3.1.1. Evacuation

Thirty-three documents recommend evacuating the scene of the incident, for example "where appropriate, the public should be evacuated" (NATO, 2014); "public protection actions include evacuation" (Secretariat general de la defense et de la securite nationale, 2014). A time scale of when to evacuate was provided in six of these documents, ranging from immediately (Secretariat general de la defense et de la securite nationale, 2014 & Department of Homeland Security, no date b) to within 15 minutes of the incident taking place (Home Office, 2015). Further to this, two documents recommend that evacuation is either "as soon as possible" (Vigipirate, 2016) or "prompt" (Department of Homeland Security, no date c). The World Health Organisation recommends that people evacuate when they "feel safe" (World Health Organisation, 2017).

3.1.2. Disrobe

Sixty documents recommend that disrobe is the first stage of decontamination and should be carried out by removing either just the outer layers of clothing (e.g. "contaminated casualties should disrobe down to their underwear", NHS England, 2015; "take off outer layer of clothing", Centers for Disease Control and Prevention, 2018a), just contaminated clothing (e.g. "contaminated clothing should be removed as soon as possible", Office of Preparedness and Emergency Management, 2014), or all clothing (e.g. "patients should

undress completely", Australian Government Department of Health, 2015). Twenty-three documents just state to "disrobe" or "remove clothing" but do not provide guidance on how much to disrobe. For example, "decontaminate if necessary using disrobe" (Public Health England, 2018); "clothing should be removed as soon as possible" (Queensland Government, 2015).

3.1.3. Wet decontamination (improvised, interim, mass)

Thirty-eight documents recommend that affected persons should undergo wet decontamination. Across these documents, wet decontamination is described in varying levels of detail from "washing" ("decontamination can be achieved through washing", West Yorkshire Police, 2016) to "taking a shower" ("decontamination can involve taking multiple showers", Centres for Disease Control and Prevention, 2018). Seven documents recommend using a wet towel or moist cloth if water facilities are not readily available (e.g. "if running water is not available people should decontaminate exposed skin with moist wipes or damp towels", Centres for Disease Control and Prevention, 2015; "if you cannot wash or shower, use a wipe or clean wet cloth to wipe any hair or skin that was not covered", Department of Homeland Security, 2018). Twenty out of the 38 documents that recommend wet decontamination recommended using soap to aid decontamination (e.g. "patients should wash using soap", Australian Government Department of Health, 2015; "affected areas should be gently rinsed or washed with soapy water", World Health Organisation, 2018). Four of these 20 documents recommend using soap only when it is available and not to delay decontamination to wait for its arrival (e.g. "Soap should be used if available", NHS Shetland, 2014; "wash whole body, including hair, with soap and tepid water (or water alone if soap not available)", World Health Organisation, 2017).

Four documents recommend that interim decontamination should be conducted, however the guidance on this is limited, with one document suggesting "patients are guided through a decontamination corridor" (US Department of Homeland Security, 2014) and another document stating there is no national standard for how interim decontamination is carried out, but it should last between 45-60 seconds and use any available source of water (NHS England, 2015). Two documents just state that decontamination will be either improvised, interim, or mass, but do not provide any guidance on how or when interim decontamination should be carried out (JESIP, 2016; US Department of Homeland Security, 2014).

Thirteen documents recommend that decontamination is conducted in a CBRNe incident, but do not advise how decontamination is carried out (e.g. "initial skin decontamination should be completed", Joint Chiefs of Staff, 2016; "decontamination should be administered as appropriate", NATO, 2014).

3.1.4. Dry decontamination

Twenty-nine documents recommend that dry decontamination may be necessary, depending on the scenario. Twelve documents recommend using dry decontamination as the default decontamination method e.g. "dry decontamination is the default method in the UK for non-caustic substances" (Public Health England, 2019) and wet decontamination should only be used when the substance is "corrosive" or "itchy" (e.g. "if there are signs of caustic chemical, use water from any available source to dilute and flush the contaminant", Home Office, 2015). Nine documents recommend that dry decontamination should always be followed by wet decontamination, regardless of what the substance is (e.g. "decontamination should be conducted by first absorbing the liquid on the skin, then decontaminate by showering and using soap", Swedish Civil Contingencies Agency, 2014/2019). Kirklees Council (2017) recommend that although dry decontamination may be carried out alone at the scene of the incident, casualties must undergo a full wet decontamination before admission to hospital. Furthermore, there are four documents that discuss decontamination of hair and these recommend that wet decontamination is always used when hair is suspected to be contaminated (e.g. "those with long or thick matted hair should wash their hair in running water leaning forward", NHS England, 2015).

3.1.5. Re-robing

Although 60 documents recommend disrobing following a CBRNe incident, only ten documents recommend re-robing following an incident. All of the documents that recommend re-robing recommend the casualty putting on fresh clothes (e.g. "Wet wipes may also be used on exposed skin before re-robing with clean clothing", Public Health England, 2019), however the Centre for Disease Control and Prevention recommends if fresh clothes are not available, casualties should "shake or brush off clothes and put them back on, then rewash hands and face" (Centres for Disease Control and Prevention, 2018).

3.1.6. Commencing life-saving treatment prior to beginning decontamination

Twenty documents recommend completing any life-saving first aid treatment prior to initiating decontamination (e.g. "Everyone nearby or in contact with a suspicious item is separated from non-contaminated people and held by the police until the public health officer comes. This does not include life-threatening situations requiring immediate medical treatment", Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute, 2007; "patients should be decontaminated before treatment, unless their condition is life threatening", NHS Shetland, 2014). The World Health Organisation recommend that patients should be decontaminated prior to entry to health care facilities, however decontamination should occur in parallel with triage and the provision of life-saving interventions (World Health Organisation, 2014).

3.1.7. Shelter in place

Eighteen documents recommend that the public shelter in place, rather than evacuating or moving away from the incident. Advice for sheltering in place seems to be given for four main reasons: (i) when evacuation is not immediately necessary (e.g. United States Environmental Protection Agency, 2017); (ii) when it is too dangerous to leave the immediate area (e.g. Centres for Disease Control and Prevention, 2019); if already in a safe location at the time of the incident (e.g. New South Wales Government, 2016). Furthermore, for nuclear disasters, the Department of Homeland Security (2018) recommend staying inside for 24 hours following the incident, unless otherwise instructed. Four of the documents that recommend sheltering-in-place state that the public will be advised by authorities when it is safe to exit their sheltering location (e.g. Centres for Disease Control and Prevention, 2019).

3.2 Guidance on how to communicate with members of the public.

Fifty three of the 95 documents acknowledge the importance of providing a strategy to emergency responders for communicating with members of the public. However, the documents vary in the amount of detail that is provided around how to communicate with members of the public. The levels of detail provided in recommendations ranges across the documents from a few words (e.g. "give immediate medical advice and reassurance that help is on its way", Police Scotland, 2018) to detailed paragraphs describing how information should be communicated and what information should be communicated (e.g. "First responders should communicate: what they know of the nature of the incident, what the emergency services are doing and how these actions will help, medical assistance is coming and they should not leave the scene, advice and instructions from the emergency services should be followed, those that are capable should assist others who are injured or less able to carry out tasks, why and how casualties need to be disrobed and decontaminated, do not eat, drink, smoke or touch your face", Home Office, 2015). Two documents state that information provided to the public in an incident should start from the very first call to the emergency services, and it is the job of the call holder to provide this information ("response starts from the very first call to the emergency services and it is the role of the call handler/supervisor is to provide correct advice to the caller", Home Office, 2015; "Fire control room staff and first responder should give members of the public advice on what actions to take", National Operational Guidance Programme, 2018b). Two further documents recommend that communication to the public should be pre-planned ("pre-recorded messages should be considered", Office of Preparedness and Emergency Management, 2014; "pre-prepared messaged should focus on radiation response activities for state and local public health, hospitals, businesses, individuals and families, community organizations and schools", Akola District Disaster Management Authority, 2017) and should be through pre-agreed communication channels (e.g. "a pre-agreed communication plan for the public should be implemented via pre-agreed communication channels/methods", NATO, 2014;

"Pre-scripted and printed follow up information should be provided to patients before they leave the scene", US Department of Homeland Security, 2014).

Within the documents, the communication strategy can be separated into three distinct sub-categories: 1) general communication and explanation (includes explanations about the nature of the incident, explanations about why certain actions are necessary, and principles of effective communication strategies); 2) practical information (includes recommendations about what practical instructions people need to be given); and 3) communication channel (includes recommendations about how best to provide people with information).

3.2.1. General communication and explanation

A key emphasis on communication highlighted in several documents is on clear, precise and true information that is conveyed to the public in an empathetic and sensitive way. For example, "it should be clearly explained to patients what is expected of them in the self-decontamination process" (Queensland Government, 2015). The Secretariat General de la Defense et de la Securite Nationale (2014) describe the communication of transparent and clear information about accidents and their development to the public as "a basic right of citizens". The Australian Government Department of Health (2018) suggest that communication should follow a key principle of "openness and transparency". A central focus for NHS England is that communication should be "centred around showing respect, treating people as individuals and respecting the public's needs" (NHS England, 2019).

Two documents recommend that information is provided to the public at regular intervals. For example, Bundesministerium des Innern (2016) describe the provision of regular updated messages as important to ensure that people are able to take the appropriate measures to protect themselves. Two documents specify that all information should permanently be available to members of the public (e.g. "This information should be permanently available to the public", Ministry of Defence, 2017).

One document provides specific information that should be provided for those not present at the immediate scene of an incident: "who is likely to be affected (based on geographical proximity to the incident, wind speed and direction, health and age vulnerability and other factors), actions necessary to prevent or mitigate the effects of exposure, availability and location of treatment, and the numbers of confirmed illnesses or deaths" (Akola District Disaster Management Authority, 2017). For a nuclear incident, Portsmouth and Southampton City Council (2016) recommend that people are provided with "basic facts about radioactivity and its effects on people and the environment" as well as "information on the actions to be taken in a radiation incident". The document specifies that it is essential that this information is distributed wider than the immediate emergency zone to provide assurance to the public. Other documents provide more vague advice for communicating with people not at the scene, for example "public information releases should be issued

covering urgent protective actions" (The Scottish Government, 2015), "warn people who are close to the affected area" (Swedish Civil Contingencies Agency, 2014/19).

One document recommends that information should be provided to anyone who may have been involved in the incident but self-evacuated away from the incident scene. This document recommends that messages provided to these people must "convey specific advice (at home: undressing, bagging clothing, showering), and encourage the population likely to have been in contact with the contaminant to go as quickly as possible to designated reception centres." (Law, 2011).

3.2.2. Practical information

Eight documents discuss that practical information to do with the incident should be provided to those at the scene of the incident. This information ranges in detail from a basic, generic message (e.g. "The procedure should be explained to the patient", Permanent Conference on Disaster Preparedness and Population Protection, 2008), to more detailed explanations of the actions they should take to help themselves and others (e.g. "it should be communicated: why and how casualties need to disrobe and decontaminate, those who are capable should assist others who are less able, more help is coming and don't leave, don't eat, drink or smoke and avoid touching face", NHS England, 2019). Only one document provides specific details on what someone should do if they have been exposed to a hazardous substance (NARU, 2018). This document recommends to tell those affected to:

> "remove themselves from the immediate area to avoid further exposure to the substance. Fresh air is important. If the skin is itchy or painful, find a water source. Remove outer clothing if affected by the substance. Try to avoid pulling clothes over the head if possible. Do not smoke, eat or drink. Do not pull off clothing stuck to skin. Remove the substance from skin using a dry absorbent material to either soak it up or brush it off. Rinse continually with water if the skin is itch or painful" (NARU, 2018).

All other documents that discuss providing advice on the actions people should take only provide more generic advice, for example "the disrobe and decontamination procedure should be explained to the patient" (NHS Foundation Trust, 2016).

3.2.3. Communication channel

Seven documents discuss the best way to communicate information to members of the public during CBRNe incidents. For example, the National Center for Environmental Health (2014) recommends that messages should be communicated to members of the public through television, radio, internet, and social media. It is emphasised in several documents that messages should be consistent across communication channels (e.g. "guidance should be given to people who self-evacuate through communications methods e.g. tv, radio,

internet, social media etc. on what actions to take and how to decontaminate themselves. Messages should be consistent across these platforms", National Center for Environmental Health, 2014). NATO (2014) states that this mode of communication should be pre-planned but does not offer any advice on what mode it should be.

Four documents recommend using a public address system to communicate with people at the scene. For example, Association of Chief Police Officers (2014) recommend using a public-address system, a hand-held radio, or another standalone system and emphasises that mobile phones should not be relied on.

Four documents state that certain instructions (e.g. disrobe) should be demonstrated to the public to aid understanding (e.g. "Demonstrations of how to disrobe and decontaminate should be considered", NHS England, 2019; "the decontamination team encouraged to act out key decontamination functions", Office of Preparedness and Emergency Management, 2014). Other documents recommend that instructions should be pre-recorded and also be provided in both written (e.g. Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute, 2007) and pictographic forms (e.g. Office of Preparedness and Emergency Management, 2014) and also translated to the most commonly used languages (e.g. Bundesamt für Bevölkerungsschutz und katastrophenhilfe, 2010).

The US Department of Homeland Security recommends that patients are provided with pre-scripted and printed follow up instructions before they leave the scene of the incident (US Department of Homeland Security, 2014) and the Office of Preparedness and Emergency Management recommends that debrief sessions should be conducted with all patients following decontamination to allay fears and provide information and resources regarding follow-up care (Office of Preparedness and Emergency Management, 2014).

3.3 Guidance on how members of the public are likely to behave in a CBRNe incident

Twenty-three documents discuss how the public are likely to respond in a CBRNe incident. These documents vary in their approach to likely public behaviour, with some suggesting public behaviour will be broadly negative (e.g. panic, disorder), and others suggesting it will be broadly positive (e.g. orderly, no panic). One guidance document highlights that everybody will respond differently to a CBRNe incident, with behaviour ranging from calm to panic and violence (Bundesamt für Bevölkerungsschutz und katastrophenhilfe, 2009).

One of the 23 documents states that people who are involved in a CBRNe incident will be anxious: "CBRN incidents would cause heightened public anxiety and result in substantial disruption to citizens lives and the economy" (Secured Urban Transportation - European Demonstration, 2014), while another states that people will be afraid: "the general population

will not have a detailed knowledge of radiation and its effects on both the environment and humans. There is likely to be fear and suspicion about anything connected to radiation" (The Scottish Government, 2015). In addition, two documents suggest that people are likely to panic either due to a lack of confidence in local authorities: "migrants from southern countries, at least in the first generation of migration, will react anxiously in some cases, possibly even panic, when events occur that threaten them because they have no confidence that the local organisations involved in security are up to the task" (Bundesamt für Bevölkerungsschutz und katastrophenhilfe, 2010), or because the protective clothing worn by responders in a CBRNe incident can cause "panic and hysteria to members of the public" (Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute, 2007). Two documents suggest that members of the public may behave in unpredictable ("affected people react self-centred and unpredictable", Sudhoff, 2016) or unresponsive ("Casualties are likely to be traumatised and therefore may act in an unexpected way e.g. they may be completely unresponsive to commands or unaware of danger", National Operational Guidance Programme, 2015) ways. In addition, five documents suggest that members of the public involved in a CBRNe incident may experience strong feelings of stress. Stress in a CBRNe incident can be caused by: "loss of privacy and personal vulnerability as well as ethical and moral problems" (Bundesamt für Bevölkerungsschutz und katastrophenhilfe, 2009), decontamination (Queensland Government, 2015; NHS Foundation Trust), radiation incidents (Centres for Disease Control and Prevention, 2015), and acute anxiety caused by the incident ("symptoms of radiation illness can produce devastating psychological effects on an entire community. Acute anxiety may lead to emotional stress and poor performance", Oak Ridge Institute for Science and Education, 2017).

On the other hand, three documents state that public behaviour will be orderly and with no panic (e.g. "evidence suggests public behaviour will be orderly and there will be no panic", NHS England, 2019). NHS (2019) suggests that this "is determined by how the incident is managed" and explains that "ineffective management may result in reduced compliance". Bundesamt für Bevölkerungsschutz und Katastrophenhilfe (2008) suggest that most members of the public are likely to behave "normally" and "pro-actively".

The US Department of Homeland Security (2014) suggest that most patients will need instructions on how to behave. For example, "a perceptive patient, or one experiencing distress, may execute self-decontamination before responders arrive, however most patients will need instruction" (US Department of Homeland Security, 2014). However, four documents suggest that people might not respond in appropriate ways to advice and may not carry out protective actions recommended. Schneider (2015) suggests "Many people do not respond appropriately to warning messages or do not immediately take the recommended protective measures following the warning message". People may be reluctant to follow instructions due to patients being "reluctant to remove clothing in cold weather environments (Office of Preparedness and Emergency Management, 2014) and responders "failing to respect privacy needs of patients" (NHS England, 2019).

It is suggested within two documents that the public (particularly children) might find the situation uncomfortable (US Department of Homeland Security, 2014; American Academy of Pediatrics, 2015). One document states: "a survivor, who is left alone without hope of recognizable help, may experience a strong sense of powerlessness" and then goes onto state "survivors have a strong need of regaining control over the situation" (Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute, 2007).

Six documents suggest that people may self-evacuate. For example, "patients may self-decontaminate themselves and leave the scene" (US Department of Homeland Security, 2014), "there is a possibility of self-evacuation of patients from the scene (Office of Preparedness and Emergency Management, 2014). Five of these documents suggest that people will evacuate to nearest treatment centre or hospital, for example "members of the public may leave the scene and subsequently seek assistance at a nearby health facility" (NHS England, 2019).

One document suggests that people will want to trace family members who may have been involved ("people will travel to the scene or other focal points if they believe that their family or friends may have been involved", Norfolk Resilience Forum, 2016) and will want reassurance that family members and friends are accounted for and safe ("people will be anxious to trace family members and friends who live, work, visit or attend school in the affected area. People sheltering in the affected area will wish to be reassured that displaced family members are accounted for and safe", Portsmouth and Southampton City Council, 2016).

3.4 Guidance on strategies for managing vulnerable populations during a CBRNe incident

Thirty-three documents discuss strategies for managing vulnerable groups during a CBRNe incident. Six documents only provide short sentences in relation to the management of vulnerable groups, for example "care must be taken to adjust for religious, cultural and social customs" (Oak Ridge Institute for Science and Education, 2017), "consideration should be given to issues such as language barriers" (NHS, 2019), "considerations should be given to cultural and religious sensitives and also learning disabilities or mental health issues (NHS, 2019).

Three documents give more detailed paragraphs stating a specific strategy for managing vulnerable populations. For example,

> "Care should be taken to ensure patients suffering from very high levels of emotional distress are provided adequate access to appropriate interventions, such as crisis

counselling. Patients should be provided privacy during the process. Patients should ideally be separated individually, but if not possible then by gender. Same gender staff should ideally be used, but this is not always possible. Re-robing should occur as soon as possible post-decontamination. There may be a role for mental health professionals in the post-decontamination process in dealing with psychological distress amongst patients. Effort should be made to keep children with parents or carer. If children are alone they should be assisted through the decontamination process. Children should be closely observed during decontamination due to their greater vulnerability to hypothermia. Laundry baskets/infant baths could be used to carry and decontaminate infants" (Queensland Government, 2015).

Queensland Government (2015) recommends that patients suffering from very high levels of emotional distress should be provided with access to appropriate interventions, such as crisis counselling (Queensland Government, 2015).

Three documents highlight the need to consider gender when managing a CBRNe incident. Two of these documents state that patients should be separated by gender and have a member of staff of the same sex, where possible: "staff should deal with patients of the same sex and patients of different sexes should not be mixed, where possible" (NHS Foundation Trust, 2016). However, one document recommends that separating patients by their sex should always be possible "a sex separation (and if only by a privacy shield) should always be possible" (Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute, 2007).

Four documents discuss issues around the management of children during CBRNe incidents. Two of these documents state that children should be allowed to remain with their parent or caregiver (e.g. "families, including caretakers, should be permitted to remain together during the decontamination process", US Department of Homeland Security, 2014). Recommendations for if a child is alone when a CBRNe incident takes place include to provide assistance and to observe them for hypothermia (see Queensland Government, 2015), and "the responder should make eye contact and try to explain what is happening and assist the child through decontamination" (US Department of Homeland Security, 2014). To aid in helping a young child through the decontamination process, both Queensland Government and the US Department of Homeland Security recommend that a laundry basket or infant bath could be used to carry the child. Two documents recommend that children should be prioritised for decontamination before adults, with Office of Preparedness and Emergency Management (2014) clarifying this is in both ambulatory and non-ambulatory groups.

Eight documents highlight the need for recognition of cultural and religious issues. Five of these documents provide a brief sentence mentioning that consideration needs to be given to cultural and religious issues, for example "cultural and gender needs must be taken into account" (Scottish Government, 2016); "cultural and religious practices should be taken into

consideration" (US Department of Homeland Security, 2014). One document provides a detailed strategy of how to decontaminate Muslim citizens:

> "If it´s necessary to decontaminate Muslim citizens, this can become difficult due to cultural-religious commandments: They are prohibited from undressing in public. There are several possible courses of action: (1) They can refer to the central legal principle of Islam "necessity breaks commandment": in emergency situations Muslims are allowed to take actions that are not otherwise permitted; (2) Secure the support and the permission to undress by male escorts of the Muslim woman. Preferably turn to a respect person of the family or the group (e.g. the family elder); (3) If possible, ensure that a religious respected person (Imam) is called in in the cordoned-off area by the psychosocial acute helpers (emergency pastors, KIT) there" (Bundesamt für Bevölkerungsschutz und katastrophenhilfe, 2009).

Although this document highlights the importance of taking into account religious needs, it specifies that accommodating religious needs "must not be at the expense of those who are willing to decontaminate". Norfolk Resilience Forum (2016) also provides some detailed recommendations for dealing with patients with cultural and religious needs, such as "requirements may relate to a place for prayer" and "it is important to engage appropriate faith, religious and ethnic community leaders at an early stage". How to deal with fatalities in a religious context is also discussed in this document: "where there are fatalities, responders should be aware of customs in respect of dealing with the deceased. Hospital Chaplains are conversant with these customs and could be asked to assist".

Six documents recognise that language barriers between patients and responders can cause difficulties in patients following instructions. One document just provides a short sentence acknowledging this issue: "consideration should be given to issues such as language barriers" (NHS, 2019). The other documents provide more detail, for example Scottish Government (2016) recommend that interpreters and printed instructions are provided and the US Department of Homeland Security (2014) specify these instructions should be provided in the most commonly used languages. One document recommends that information that is "comparable in content and detail" should be provided to "all patients who have a disability or limited English proficiency" (Office of Preparedness and Emergency Management, 2014). Two documents recommend that instructions should also be provided in pictographic forms (US Department of Homeland Security, 2014) or with universal sign language or videos (National Center for Environmental Health, 2014).

It has been recognised across three documents that those with mobility issues (either pre-existing or as a result of the incident) may require additional support during the decontamination process. NHS (2019) recommend that "in those who struggle undergoing decontamination, responders should make provisions of assisting these individuals whilst maintaining no physical contact". Another document specifies that non-ambulatory of mobility impaired patients may not be able to perform self-care and will need personnel to

assist them through the process with specialised equipment (US Department of Homeland Security, 2014). Office of Preparedness and Emergency Management (2014) state that "extra care should be taken when decontaminating with water for those with walkers, canes, wheelchairs, paediatrics, geriatrics, service animals and non-ambulatory patients" and goes on to recommend that "if equipment or devices can't be decontaminated, a procedure should be in place to replace them after decontamination". In addition, US Department of Homeland Security (2014) recommend that "a plan should be in place for service animals and where possible they should be kept with the patient".

4. DISCUSSION

The purpose of this research was to review guidance documents relating to CBRNe incident management. It is clear from the documents identified that there is a heavy focus in guidance on the practical and physical aspects of CBRNe incident management (e.g. decontamination, disrobe, evacuate etc.), yet there seems to be a lack of detailed recognition for psychosocial aspects (psychological and social factors associated with human behaviour). Research looking at the impact of psychosocial aspects of public behaviour in a CBRNe incident suggests that the ways emergency responders manage it can have a substantial effect on the ways that the public behave (e.g. Carter & Amlôt, 2016; Carter et al., 2014; Carter et al., 2013a). Therefore, although it is important to provide practical and physical recommendations to responders to enable them to manage the incident, ensuring that they also consider psychosocial aspects and interactions with the public should not be overlooked.

4.1 Discrepancies in recommended behaviour within and between countries

To our knowledge, this review is the first guidance review to encompass guidance documents relating to CBRNe management across different languages, with the review incorporating 95 guidance documents from 18 different countries. What is clear from this review is that there is inconsistency in the information that is provided in the documents between countries. For example, one UK document states that decontamination should last between 45-90 seconds (NHS England, 2015), whereas a Canadian document recommends washing with soap and water for 15 minutes following exposure to hazardous materials (Kingston Health Sciences Centre, 2018) and an Australian document recommends that wet decontamination should last no longer than three minutes (Queensland Government, 2015). Interestingly, there also seems to be inconsistency in documents from the same country, for example in another document from the UK, it is specified that decontamination should be delivered for a minimum of 90 seconds (NHS

England, 2019) as compared to the previously stated 90 second maximum (NHS England, 2015). Another discrepancy arises as one UK document recommends first showering with clothes on, then undressing and re-showering without clothes (Newman University, Birmingham, 2014), whereas all other documents recommend removing clothes prior to showering or decontamination. These discrepancies are worrisome and can lead to confusion in how to respond to a CBRNe incident.

Another interesting observation across the documents is that there seems to be no standardised method of response. Most documents recommend decontamination of some form (i.e. dry, wet, showering, interim), yet there does not seem to be any consistency in how documents recommend these procedures are carried out. For example, some documents recommend taking a shower (e.g. Centres for Disease Control and Prevention, 2018) whilst others recommend using a moist cloth (e.g. Division of Homeland Security and Emergency Management, 2019). The only consistencies in decontamination method across all documents seem to be in relation to hair contamination (e.g. Swedish Civil Contingencies Agency, 2014/2019) or when the contaminant is caustic (e.g. Scottish Government, 2016), in both cases washing with copious amounts of water is recommended.

Whilst eight out of the nine documents that recommend re-robing following decontamination recommend putting on clean, un-contaminated clothes, a worrying recommendation from one document is that casualties should put back on contaminated clothing if clean clothes are not available (Centres for Disease Control and Prevention, 2018). Although the document states that casualties should shake or brush the clothes to remove the contaminant before putting them back on, there is no guarantee that this will remove all the contaminant from the clothes and the casualty risks re-contaminating themselves with a harmful substance, causing a potential for significant harm to the casualty.

Across 15 documents from ten countries (United Kingdom, Czech Republic, Germany, Australia, England, Scotland, Latvia, France, America and Sweden) and in a document from the World Health Organisation, there seemed to be a consensus that life-saving medical treatment should take priority over decontamination. Although it is positive there is consensus across these countries, this guidance is covered in only approximately 15% of documents. In the 79 documents that do not recommend that life-saving actions should take priority, this important advice might be overlooked.

4.2 Specific communication strategies are lacking in guidance documents

In terms of communication strategy, there seems to be about a 50/50 split in documents as to whether communication is mentioned. However, when it is mentioned, there does not seem to be any consistency across documents in how much information is provided.

Documents that only provide short sentences would benefit greatly from providing more details about what to communicate to the public and also how to communicate this information, whether this is through media channels, loud speakers etc.

Two UK documents (Home Office, 2015; National Operational Guidance Programme, 2018b) provide an interesting recommendation that a communication strategy to the public should be implemented from the very first phone call to the emergency services. In the UK, it is estimated that emergency responders will arrive at the scene of a CBRNe incident and be able to begin implementing decontamination and other procedures within 15 minutes of an incident being reported. The ability for call handlers to be able to start offering advice to casualties about actions they should be taking in those initial stages of an incident before emergency services arrive could potentially save lives.

Clear, precise and truthful communication is emphasised across documents with the provision of regular updates to the public being recommended (e.g. Bundesministerium des Innern, 2016). However interestingly, a French document describes clear and honest communication as a basic human right (Secretariat General de la Defense et de la Securite Nationale, 2014) suggesting that this communication is not just recommended, but instead that it must be carried out.

Across the documents that discuss a communication strategy, eight of these documents discuss practical information that should be provided to those at the scene of the incident, for example communicating why and how people should decontaminate (NHS England, 2019). However, the practical information that is provided seems to be very generic and there is no clear practical communication strategy across any document. For example, there is no information that is suggested to be communicated to the public about how they should disrobe (e.g. cut clothes/do not remove over the head) or how decontamination will be carried out (e.g. blot and rub using dry absorbent material). Guidance documents would benefit from having a clear strategy for communicating this information to the public to prevent confusion, build trust and reduce non-compliant behaviour.

Although five documents do discuss communicating with members of the public who are not at the scene of the incident, or whom may have self-evacuated, these two groups (those at the scene vs. those not at the scene) should be clearly distinguished in communication strategies.

Furthermore, this review shows that countries seem to have an understanding of the importance of utilising different media channels to communicate with members of the public with documents from America, Australia, Austria, France, Germany and Latvia recommending that messages are conveyed to members of the public through television, radio, internet and social media. However, there seems to be less consistency in the recommended modalities for communicating with people at the scene of the incident. Four documents recommend using some form of public address system to convey information to

the public. Four further documents recommend that certain information should be demonstrated to the public to aid in understanding. Although additional modalities of communicating with people at the scene may not always be necessary depending on the size of the incident scene and the number of casualties, it is important that responders are aware that there might be a need to use additional modalities and are aware of what these are.

4.3 Likely public behaviour should be addressed in guidance documents

Approximately one quarter of documents mention how the public are likely to respond in a CBRNe incident. There is inconsistency across these documents in how members of the public are likely to respond. Four of these documents are in line with the common myths around disasters and suggest that members of the public are likely to panic (e.g. The Scottish Government, 2015). A further four documents suggest that members of the public are likely to be non-compliant with instructions from responders (e.g. US Department of Homeland Security, 2014). On the other hand, three documents explicitly state that public behaviour will be orderly with no panic (e.g. NHS, 2019). Guidance documents need to be updated to reflect current evidence relating to likely public behaviour during mass emergencies which suggests that, far from panic and mass disorder being common, people will actually behave in a helpful and cooperative way (e.g. Aguirre et al., 2011; Carter et al., 2012; Carter et al., 2015; Cornwell, 2001; Johnson, 1987; Quarantelli, 1954). A reliance on common myths about public behaviour during mass emergencies (e.g. mass panic and public disorder) may result in control management strategies that involve withholding information and disregarding public needs (Carter et al., 2013a; Carter & Amlôt, 2016).

Nearly 40% of documents discuss vulnerable groups, and across these documents, the discussions seem to be split into four main groups of vulnerability: gender and privacy issues; children; mobility issues (e.g. ambulant casualties, blind people, people who require walking aids etc.) cultural and religious issues; and challenges with communicating. The amount of guidance provided for these groups ranges from a short sentence mentioning that consideration should be given to them with no guidance on how to meet their additional functional needs (e.g. Australian Government Department of Health, 2018) to detailed paragraphs describing a strategy for managing them and meeting their functional needs (e.g. Bundesamt für Bevölkerungsschutz und katastrophenhilfe, 2009). It is clear from this review that there needs to be a greater focus placed on managing the needs of vulnerable groups in guidance documents to ensure that the needs of these individuals are met.

4.4 Limitations

The main limitation of this review was that it was not possible to carry out an exhaustive search of all guidance documents. Due to the large number of results that were generated by each search and the lack of feasibility in reviewing all results, the search was limited to the first 200 results of each search term. As a result, there is a possibility that not all relevant documents were identified. However, a comprehensive method for conducting the search was developed, utilising four separate search options (advanced Google search, target website search, grey literature database search, and consultation with project partners), therefore missing results should be kept to a minimum. A second limitation is that only documents that were available in open literature were used for this review. A final limitation is that although non-English documents were able to be utilised for this review, it is possible that some information may have been missed through translation.

5. CONCLUSION

This systematic review of guidance, SOPs and tools for CBRNe mitigation and management identified 95 relevant documents, from 18 different countries across Europe and beyond. Data relating to various key aspects of incident response was extracted, including: perceptions of likely public behaviour during CBRNe incidents, strategies for communicating with members of the public during CBRNe incidents, and procedures for the management of members of vulnerable groups during CBRNe incidents. Extracting this data enabled common themes to be identified from the tools, SOPs and guidance documents to generate an understanding of current policy and procedures for CBRNe management across different organisations and countries.

Although evidence shows that it is important to be mindful of the psychosocial aspects of CBRNe management, this review of guidance, SOPs and policy documents shows that this is rarely reflected when planning for these kinds of incidents. There is a need for guidance and policy to be updated across Europe to reflect the importance of recognising psychosocial aspects of CBRNe response. In addition, there are worrying discrepancies in advice in guidance documents both within and between countries, therefore highlighting a need for these discrepancies to be reviewed and updated to ensure consistency in response.

On the basis of these outcomes, four provisional recommendations are detailed. These recommendations are as followed:

> **Recommendation 1**: Incorporate up-do-date evidence-based advice in guidance and policy on how members of the public are likely to respond in a CBRNe incident.

Recommendation 2: Update guidance and policy to incorporate a detailed communication strategy for how emergency responders should communicate with casualties and members of the public during a CBRNe incident.

Recommendation 3: Ensure guidance and policy have a clear strategy on how to manage vulnerable groups in a CBRNe incident.

Recommendation 4: Review any discrepancies in documents both within and between countries to ensure consistency in recommendations on how emergency response organisations should respond to a CBRNe incident.

These recommendations will be further explored and developed when the outcomes from D1.2 are synthesised with the findings from D1.1 for presentation within D1.3.

6. REFERENCES

Aguirre, B. E., Torres, M. R., Gill, K. B., & Hotchkiss, H. L. (2011). Normative collective behaviour in the station building fire. Social Science Quarterly, 92(1), 100-118.

Akola District Disaster Management Authority (2017). Standard operating procedure for terrorist attach using chemical weapon, terrorist attack using biological agents, terrorist attacks involving use of radio active material, and aftermath of nuclear attack. Retrieved from https://akola.gov.in/disaster-management/

American Academy of Pediatrics (2015). Disaster preparedness to meet children's needs - decontamination of children. Retrieved from https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/Children-and-Disasters/Pages/Decontamination.aspx

Association of Chief Police Officers (2014). Counter-terrorism security advice for hazardous sites. Retrieved from https://www.cia.org.uk/Portals/0/Documents/Publications/NaCTSO%20Security%20advice%20for%20Hazardous%20Sites%20-%20August14.pdf?ver=2017-01-09-143759-797

*Ausschuss Feuerwehrangelegenheiten, Katastrophenschutz und zivile Verteidigung (2012). FwDV_500 - Units in ABC-scenarios

Australian Government Department of Health (2015). Australian clinical guidelines for acute exposures to chemical agents of health concern: a guide for the emergency department staff. Retrieved from https://www1.health.gov.au/internet/main/publishing.nsf/Content/ohp-exposure-chemical-agents-guidelines.htm

Australian Government Department of Health (2018). Health CBRN Plan: domestic health response plan for chemical, biolgoical, radiological or nuclear incidents of national significance. Retrieved from https://www1.health.gov.au/internet/main/publishing.nsf/Content/ohp-health-cbrn-plan.htm

*Bundesamt für Bevölkerungsschutz und Katastrophenhilfe (2008). Nationales Krisenmanagement im Bevölkerungsschutz.

*Bundesamt für Bevölkerungsschutz und katastrophenhilfe (2009). Psychosoziales Krisenmanagement in CBRN.

*Bundesamt für Bevölkerungsschutz und Katastrophenhilfe (2010). Bevölkerungsverhalten und Möglichkeiten des Krisenmanagements und Katastrophenmanagements in multikulturellen Gesellschaften .

*Bundesamt für Bevölkerungsschutz und katastrophenhilfe (2018). Verhalten bei besonderen Gefahrenlagen.

*Bundesministerium des Innern (2016). Civil defence concept.

Carter, H. & Amlôt, R. (2016). Mass casualty decontamination guidance and psychosocial aspects of CBRN incident management: a review and synthesis. PLOS Currents Disasters, 27(1).

Carter, H., Drury, J., Rubin, J., Williams R., & Amlôt, R. (2012). Public experiences of mass casualty decontamination. Biosecurity and Bioterrorism, 10(3), 280-289.

Carter, H., Drury, J., Rubin, G. J., Williams, R., & Amlôt, R. (2013a). Communication during mass casualty decontamination: highlighting the gaps. International Journal of Emergency Services, 2(1), 29-48.

Carter, H., Drury, J., Rubin, G. J., Williams, R., & Amlôt, R. (2013b). The effect of communication on anxiety and compliance during mass decontamination. Disaster Prevention and Management, 22(2), 132-147.

Carter, H., Drury, J., Rubin, G. J., Williams, R. J., & Amlôt, R. (2014). Effective responder communication improves efficiency and psychological outcomes in a mass decontamination field experiment: implications for public behaviour in the event of a chemical incident. PLOS ONE, 9(3), e89846.

Carter, H., Drury, J., Amlôt, R., Rubin, G. J., & Williams, R. (2015). Effective responder communication, perceived responder legitimacy and group identification predict public cooperation and compliance in a mass decontamination visualisation experiment. Journal of Applied Social Psychology, 45(3), 173 – 189.

Centers for Disease Control and Prevention (2015). A guide to operating public shelters in a radiation. Retrieved from: https://emergency.cdc.gov/radiation/pdf/operating-public-shelters.pdf

Centres for Disease Control and Prevention (2018a). Frequently asked questions about dirty bombs. Retrieved from: https://www.cdc.gov/nceh/radiation/emergencies/dirtybombs.htm

Centers for Disease Control and Prevention (2018b). How to self-decontaminate after a radiation emergency. Retrieved from: https://www.cdc.gov/nceh/radiation/emergencies/selfdecon_wash.htm

Centres for Disease Control and Prevention (2018c). First Aid Procedures. Retrieved from: https://www.cdc.gov/niosh/npg/firstaid.html

Centres for Disease Control and Prevention (2018d). Stay tuned to learn how to evacuate. Retrieved from: https://www.cdc.gov/nceh/radiation/emergencies/evacuation.htm

Centers for Disease Control and Prevention (2019). Chemical threats: chemical emergencies and children. Retrieved from: https://www.cdc.gov/childrenindisasters/chemical-threats.html

Centers for Disease Control and Prevention (No Date). Decontamination for yourself and others. Retrieved from:

https://www.cdc.gov/nceh/radiation/emergencies/pdf/Infographic_Decontamination.pdf

Centre for the Protection of National Infrastructure (2016). Chemical, Biological, Radiological and Nuclear (CBRN) Threats. Retrieved from: https://www.cpni.gov.uk/chemical-biological-radiological-and-nuclear-cbrn-threats-0

*Civil Defence Association Austria (No Date). Radiation protection. What to do in a nuclear accident?

Cornwell, B. (2001). Panic or situational constraints? The case of the M/V Estonia. International Journal of Mass Emergences and Disasters, 19(1), 5-25.

Department of Fire and Emergency Services, Western Australia (2016). State hazard plan for hazardous materials emergencies. Retrieved from: https://semc.wa.gov.au/emergency-management/plans/state-hazard-plans/Documents/WestplanCollapseSEMCapproved24052016.pdf

Department of Homeland Security (2014). Patient decontamination in a mass chemical exposure incident: national planning guidance for communities. Retrieved from: https://www.dhs.gov/sites/default/files/publications/Patient%20Decon%20National%20Planning%20Guidance_Final_December%202014.pdf

Department of Homeland Security (2018). Be prepared for a nuclear explosion. Retrieved from: https://www.fema.gov/media-library-data/1522436486111-24f5ba6d06cc07500cddd4d70c53b6dc/NuclearExplosion_508.pdf

Department of Homeland Security (No Date a). Bioterrorism. Retrieved from: https://www.ready.gov/Bioterrorism

Department of Homeland Security (No Date b). Chemical emergencies. Retrieved from: https://www.ready.gov/chemical

Department of Homeland Security (No Date c). Emergency response plan. Retrieved from: https://www.ready.gov/business/implementation/emergency

Division of Homeland Security & Emergency Management (2019). Emergency response guide 2019. Retrieved from https://www.colorado.gov/sites/default/files/ERG_Master_PageView_01.03.19.pdf

Drury. J., Cocking, C., and Reicher, S. (2009). "The nature of collective resilience: survivor reactions to the 2005 London bombings. International Journal of Mass Emergencies and Disasters, 27(1), 66-95.

*Federal office of civil protection and disaster assistance (2018a). Acting in a CBRN event. Citizen information flyer.

*Federal office of civil protection and disaster assistance (2018b). Guide for emergency preparedness and correct action in emergency situations.

*Federal Office of Civil Protection and Disaster Assistance (No Date). Health protection against CBRN hazard; epidemics control management.

*Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute (2007). Biological hazards I: Handbook for the civil protection. 3rd edition.

*Government of Czech Republic (No Date). Dirty Bomb SOP.

Government of Western Australia (2018). State Health Emergency Response Plan. Retrieved from: https://ww2.health.wa.gov.au/~/media/Files/Corporate/general%20documents/emergency%20disaster/PDF/State-health-emergency-response-plan.pdf

Home Office (2015). Initial Operational Response to a CBRN Incident. Retrieved from https://www.jesip.org.uk/uploads/media/pdf/CBRN%20JOPs/IOR_Guidance_V2_July_2015.pdf

Homeland Security (2017). Biological incident annex to the response and recovery federal interagency operational plans. Retrieved from: https://www.fema.gov/media-library/assets/documents/152894

*Instruction of Cabinet Ministers No.12 (2012). Instruction regarding actions of responsible institutions in the event of finding a substance or object of unknown origin if it is suspected that it contains explosive, radioactive, dangerous chemical, or biological substances, as well as if indications of terrorist attack are detected.

International Committee of the Red Cross (2014). Chemical, biological, radiological and nuclear response: introductory guidance. Retrieved from https://www.icrc.org/en/publication/4175-chemical-biological-radiological-and-nuclear-response-introductory-guidance

Johnson, N. R. (1987). Panic at "The Who concert stampede": an empirical assessment. Social Problems, 34(4), 362-373.

Joint Chiefs of Staff (2016). Chemical, biological, radiological, and nuclear response. Retrieved from https://www.jcs.mil/Portals/36/Documents/Doctrine/pubs/jp3_41.pdf

Joint Emergency Services Interoperability Programme (JESIP) (2016). Responding to a CBRN(e) Event: Joint Operating Principles for the Emergency Services. Retrieved from https://www.jesip.org.uk/uploads/media/pdf/CBRN%20JOPs/JESIP_CBRN_E_JOPS_Document_On.pdf

Kingston Health Sciences Centre (2018). Standard operating procedures: emergency procedures. Retrieved from: https://kingstonhsc.ca/sites/default/files/uploads/emergency_procedures_sop_final_february_1_2018_version_01.1.pdf

Kirklees Council (2017). General Information. Retrieved from: https://www.kirklees.gov.uk/beta/search/default.aspx?q=general+information+&searchSite=Search&site=Website&client=Website&output=xml_no_dtd

La Piere, R. (1938). Collective behaviour. New York: McGraw-Hill.

*Law (2018). National doctrine of the use of means of relief and care in the face of a terrorist action involving chemical substances.

*Law (2011). National doctrine of the use of means of relief and care in the face of a terrorist action involving radioactive material.

Le Bon, G. (1895). The crowd: a study of the popular mind. London: Ernest Benn.

Ministry of Community Safety and Correctional Services (2017). Provincial nuclear emergency response plan (PNERP). Retrieved from: https://www.emergencymanagementontario.ca/english/emcommunity/response_res ources/plans/provincial_nuclear_emergency_response_plan.html

Ministry of Defence (2017). Revised requirements for radiological protection: emergency preparedness and response. Retrieved from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attach ment_data/file/649916/BSSD_Emergency_Preparedness_and_Response_Consulta tion_Final_Document.pdf

National Ambulance Resilience Unit (NARU) (2018). Acid and chemical burns retrieved from: https://www.nhs.uk/conditions/acid-and-chemical-burns/

National Ambulance Resilience Unit (NARU) (2017). REMOVE REMOVE REMOVE campaign. Retrieved from: https://naru.org.uk/remove-remove-remove-refreshed-ior-messaging-is-released-by-naru/

National Center for Environmental Health (2014). Population monitoring in radiation emergencies: a guide for state and local public health planners. Retrieved from: https://emergency.cdc.gov/radiation/pdf/population-monitoring-guide.pdf

National Operational Guidance Programme (2018a). Improvised decontamination. Retrieved from: https://www.ukfrs.com/guidance/search/improvised-decontamination

National Operational Guidance Programme (2018b). Initial Operational Response. Retrieved from: https://www.ukfrs.com/guidance/search/initial-operational-response-ior

National Operational Guidance Programme (2015). Initial operational response to a chemical, biological, radiological or nuclear explosive. Retrieved from: https://www.ukfrs.com/sites/default/files/2018-08/Initial%20Operational%20Response%20to%20a%20Chemical%252c%20Biologi cal%252c%20Radiological%20or%20Nuclear%20Explosive%20first%20edition%20 version%20one%20%28ARCHIVED%20on%202020-09-2017%29%20%281%29.pdf

NATO (2014). Guidelines for first responders to a cbrn incident. Retrieved from: https://www.nato.int/nato_static_fl2014/assets/pdf/pdf_2016_08/20160802_140801-cep-first-responders-CBRN-eng.pdf

New South Wales Government (2016). NSW Public Health Services SOP for Hazmat/CBRN Emergencies. Retrieved from: https://www1.health.nsw.gov.au/pds/ActivePDSDocuments/GL2016_014.pdf

Newman University, Birmingham (2014). Disaster recovery and business continuity plan. Retrieved from: https://www.newman.ac.uk/

NHS (2019). Guidance for the initial management of self-presenters from incidents involving hazardous materials - HazMat/CBRNe. Retrieved from: https://www.southernhealth.nhs.uk/_resources/assets/attachment/full/0/88474.pdf

NHS England (2019). NHS England Emergency Preparedness, Resilience and Response (EPRR). Chemical incidents: planning for the management of self-presenting patients in healthcare settings. Retrieved from: https://www.england.nhs.uk/publication/eprr-guidance-for-the-initial-management-of-self-presenters-from-incidents-involving-hazardous-materials/

NHS England (2018). Clinical guidelines for major incidents and mass casualty events. Retrieved from: https://www.england.nhs.uk/publication/clinical-guidelines-for-major-incidents-and-mass-casualty-events/

NHS England (2015). NHS England Emergency Preparedness, Resilience and Response (EPRR). Chemical incidents: planning for the management of self-presenting patients in healthcare settings. Retrieved from: https://webarchive.nationalarchives.gov.uk/20161104231146/https://www.england.nhs.uk/wp-content/uploads/2015/04/eprr-chemical-incidents.pdf

NHS Foundation Trust (2017). Hazardous materials incident plan (hazmat & cbrn). Retrieved from: https://www.homerton.nhs.uk/

NHS Foundation Trust (2016). Hazardous materials (hazmat) and chemical biological radiological nuclear & explosives (cbrne) plan. Retrieved from: https://www.dbth.nhs.uk/document/corprisk26/

NHS Shetland (2014). Shetland Major Emergency Procedure. Retrieved from: https://www.shb.scot.nhs.uk/board/policies/ep-MajorEmergencyPlanv3.pdf

*No author named (2006). Guidance for the creation of hospital alarm and operational plans.

Norfolk Resilience Forum (2016). Norfolk emergency response guidance 2016. Retrieved from: http://www.norfolkprepared.gov.uk/wp-content/uploads/2014/09/Norfolk-Emergency-Response-Guidance-2016-6.0.pdf

Oak Ridge Institute for Science and Education (2017). The medical aspects of radiation incidents. Retrieved from: https://orise.orau.gov/reacts/documents/medical-aspects-of-radiation-incidents.pdf

Office of Preparedness and Emergency Management (2014). Hospital based decontamination preparedness resources. Retrieved from:

https://www.massgeneral.org/assets/MGH/pdf/emergency-medicine/MDPH-Hospital-Based-Decontamination-Resources-June-2014.pdf

*Permanent conference on disaster preparedness and population protection (2008). SKK DV 500.

Police Scotland (2018). Hazardous substances - standard operating procedure. Retrieved from https://www.scotland.police.uk/

Portsmouth and Southampton City Council (2018). Reactor Emergency Plan. Retrieved from: https://www.portsmouth.gov.uk/ext/documents-external/cou-reactor-emergency-plan.pdf

Public Health England (2019). Public health protection in radiation emergencies. Retrieved from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/805655/Advice_for_Radiation_Emergencies_2019.pdf

Public Health England (2018). Chemical, biological, radiological and nuclear incidents: clinical management and health protection. Retrieved from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/712888/Chemical_biological_radiological_and_nuclear_incidents_clinical_management_and_health_protection.pdf

Public Health Wales (2016). Chemical Decontamination Update: Guidance for Health Boards retrieved from: http://www.wales.nhs.uk/sites3/Documents/457/Public%20Health%20Wales%20Decontamination%20Guidance_final%20%28version%202%29_August_2016.pdf

Quarantelli, E. L. (1954). The nature and conditions of panic. American Journal of Sociology, 60(3), 267 – 275.

Queensland Government (2015). Chemical Biological Radiological annex to the Queensland Health Disaster Plan. Retrieved from: https://www.health.qld.gov.au/__data/assets/pdf_file/0030/628266/chemical-biological-radiological-annex.pdf

*Schneider (2015). Risiko- und Krisenkommunikation am Beispiel von terroristisch motivierten Schadenslagen und Schadstoffunglücken: Einflussfaktoren auf die Reaktion nach Warnmeldungen

Schneidmiller, C. (2012, August 1). Nuclear smuggling shows terrorist WMD threat persists: State Department. Global Security Newswire. Retrieved 3rd October 2012, from http://www.nti.org/gsn/article/state-report/

Scottish Government (2016). Guidance for health facilities on surface decontamination of self-presenting persons potentially exposed to hazardous chemical, biological or radiological substances. Retrieved from: https://www.readyscotland.org/media/1152/decontamination-guidance-2016.pdf

Scottish Government (2015). Nuclear emergency planning and response guidance. Retrieved from https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/472419/NEPRG00_-_Concept_of_Operations.pdf

*Secretariat General de la Defense et de la Securite Nationale (2014). National response plan: Major nuclear or radiological accidents.

*Secretariat-General for National Defence and Security (2014). National plan for prevention and control of ebola virus disease.

*Secretariat-General for National Defence and Security (2011). Influenza pandemic prevention and control plan.

Secured Urban Transportation (2014). SECUR-ED white paper on cbrn(e) response and recovery: decontamination and restoration strategies and solutions. Retrieved from: http://www.secur-ed.eu/wp-content/uploads/2014/12/SECUR-ED_White_Paper_on_CBRNE_response_and_recovery.pdf

Slovic, P. (1987). Perception of risk. Science, 236(4799), 280 – 285.

Slovic, P., & Weber, E. U. (2002). Perception of risk posed by extreme events. Regulation of Toxic Substances and Hazardous Waste (2nd edition) (Applegate, Gabba, Laitos, and Sachs, Editors), Foundation Press.

Slovic, P. (2004). What's fear got to do with it – it's affect we need to worry about. Missouri Law Review, 69(4), 971.

Smelser, N. J. (1963). Theory of collective behaviour. Glencoe, Ill: Free Press.

*Sudhoff (2016). Experimentelle Untersuchung und Optimierung der Dekontamination von Verletzten bei einer C(B)RN-Gefahrenlage durch Organisationen der nichtpolizeilichen Gefahrenabwehr

Swedish Civil Contingencies Agency (2014). First responders handbook - hazardous materials CBRNE. Retrieved from: https://rib.msb.se/filer/pdf/27314.pdf

*Swedish Civil Contingencies Agency (2019). First responders handbook - hazardous materials CBRNE.

The University of British Columbia (2018). Building Emergency Response Plan. Retrieved from: https://www.civil.ubc.ca/sites/default/files/ABOUT/HSE/2018-06-21_berp_-_ceme_-_civil.pdf

*THW (2014). THW DV 500 - Deployment in CBRN scenarios.

UK Fire and Rescue Service (UK FRS) (2018). National operational guidance - decontamination methods. Retrieved from: https://www.ukfrs.com/guidance/search/decontamination-methods

United States Environmental Protection Agency (2017). Protective action guides and planning guidance for radiological incidents. Retrieved from: https://www.epa.gov/radiation/pag-manuals-and-resources

United States Department of Labor (2019). Radiation emergency preparedness and response. Retrieved from: https://www.osha.gov/SLTC/emergencypreparedness/radiation/response.html

US Department of Health and Human Sciences (2019). Procedures for radiation decontamination. Retrieved from: https://www.remm.nlm.gov/ext_contamination.htm

*Vigipirate (2016). Tackling terrorism together: vigilance, prevention, and protection against the terrorist threat.

West Virginia Board of Education (2018). Crisis prevention and response plan. Retrieved from: https://wvde.state.wv.us/counselors/documents/wvcrisisresponseplantemplate2014final.pdf

West Yorkshire Police (2016). Chemical, biological, radiological and nuclear (CBRN). Retrieved from: https://www.westyorkshire.police.uk/sites/default/files/files/policies/chemical_biological_radiological_and_nuclear_cbrn.pdf

World Health Organisation (2018). Occupational safety and health in public emergencies: a manual for protecting health workers and responders. Retrieved from: https://www.who.int/occupational_health/publications/safety-health-public-health-emergencies/en/

World Health Organisation (2017). What to do in case of a chemical release. Retrieved from: https://www.who.int/environmental_health_emergencies/deliberate_events/chemical_release_what_to_do_May2017_en.pdf?ua=1

World Health Organisation (2014). Initial clinical management of patients exposed to chemical weapons. Retrieved from: https://www.who.int/environmental_health_emergencies/deliberate_events/interim_guidance_en.pdf?ua=1

World Health Organisation (No Date). Decontaminate using the rinse-wipe-rinse technique. Retrieved from: https://www.who.int/environmental_health_emergencies/deliberate_events/decontamination_steps_en.pdf?ua=1

Documents were sent to the researcher from project partners with a transcription of a summary key points in English.

7. APPENDICES

Appendix 1. Search terms used for the advanced Google search, target website search and grey literature database search.

Type of management	Type of incident	Type of guidance
Decontamination	CBRN(e)	Standard operating procedure
Lockdown	CBRN	Guidance
Quarantine	Chemical	Policy document
Airport security	Biological	Report
Operational response	Radiological	
Evacuation	Nuclear	
Vulnerable		
Tools		

Appendix 2. Guidance documents relating to CBRNe management.

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Akola District Disaster Management Authority	2017	India	CBRN	Dry decontamination	Y	N	Y
				Wet decontamination			
American Academy of Pediatrics	2015	America	Chemical	Wet decontamination	N	Y	Y
Association of Chief Police Officers	2014	United Kingdom	Hazardous materials	Evacuation	Y	N	N
Ausschuss Feuerwehrangelegenheiten, Katastrophenschutz und zivile Verteidigung	2012	Germany	Hazardous materials	Disrobe	Y	N	N
				Wet decontamination			
Australian Government Department of Health	2015	Australia	Chemical	Disrobe	N	N	N
				Re-robe			
				Wet decontamination			
Australian Government Department of Health	2018	Australia	CBRN	N	Y	N	Y

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Bundesamt für Bevölkerungsschutz und Katastrophenhilfe	2008	Germany	Hazardous materials	N	Y	Y	N
Bundesamt für Bevölkerungsschutz und katastrophenhilfe	2009	Germany	CBRN	Decontamination Disrobe Evacuation Life-saving treatment	Y	Y	Y
Bundesamt für Bevölkerungsschutz und katastrophenhilfe	2010	Germany	Hazardous materials	N	Y	Y	Y
Bundesamt für Bevölkerungsschutz und katastrophenhilfe	2018	Germany	Hazardous materials	N	Y	N	N
Bundesministerium des Innern	2016	Germany	Hazardous materials	Wet decontamination	Y	N	N
Centers for Disease Control and Prevention	2015	America	Radiological	Disrobe Dry decontamination Life-saving treatment Wet decontamination	Y	Y	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Centers for Disease Control and Prevention	2018a	America	Dirty bomb	Disrobe Shelter in place Wet decontamination	Y	N	N
Centres for Disease Control and Prevention	2018b	America	Radiological	Disrobe Re-robe Wet decontamination	N	N	N
Centres for Disease Control and Prevention	2018c	America	CBRN	Disrobe Dry decontamination Wet decontamination	N	N	N
Centres for Disease Control and Prevention	2018d	America	Radiological	Evacuation	Y	N	N
Centers for Disease Control and Prevention	2019	America	Chemical	Disrobe Evacuation Shelter in place Wet decontamination	N	N	Y

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Centers for Disease Control and Prevention	No date	America	Radiological	Disrobe Re-robe Wet decontamination	N	N	N
Centre for the Protection of National Infrastructure	2016	United Kingdom	CBRN	Evacuation	N	N	N
Civil Defence Association Austria	No date	Austria	Radiological	Disrobe Shelter in place Wet decontamination	Y	N	N
Department of Fire and Emergency Services, Western Australia	2016	Australia	Hazardous materials	Evacuation Shelter in place	Y	N	N
US Department of Homeland Security	2014	America	Chemical	Disrobe Evacuation Life-saving treatment Wet decontamination	Y	Y	Y

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Department of Homeland Security	2018	America	Nuclear	Disrobe Evacuation Shelter in place Wet decontamination	Y	N	N
Department of Homeland Security	No date a	America	Hazardous materials	Evacuation Shelter in place	N	N	N
Department of Homeland Security	No date b	America	Chemical	Disrobe Evacuation Shelter in place Wet decontamination	N	N	N
Department of Homeland Security	No date c	America	Biological	Disrobe Wet decontamination	Y	N	N
Division of Homeland Security & Emergency Management	2019	America	Hazardous materials	Evacuation Shelter in place Wet decontamination	N	N	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Federal office of civil protection and disaster assistance	2018a	Germany	CBRN	Disrobe Evacuation Wet decontamination	Y	N	Y
Federal office of civil protection and disaster assistance	2018b	Germany	CBRN	Disrobe Shelter in place Re-robe Wet decontamination	Y	N	N
Federal Office of Civil Protection and Disaster Assistance	No date	Germany	CBRN	Disrobe Evacuation Wet decontamination	N	N	N
Federal Office of Civil Protection and Disaster Assistance (BBK) and Robert Koch Institute	2007	Germany	Biological	Disrobe Evacuation Life-saving treatment Wet decontamination	Y	Y	Y
Government of Czech Republic	No date	Czech Republic	Dirty bomb	Decontamination Life-saving treatment	N	N	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Government of Western Australia	2018	Australia	Hazardous materials	Decontamination Life-saving treatment	N	N	N
Home Office	2015	United Kingdom	CBRN	Disrobe Dry decontamination Evacuation Wet decontamination	Y	Y	Y
Homeland Security	2017	America	Biological	Disrobe Shelter in place Wet decontamination	Y	N	N
Instruction of Cabinet Ministers No.12	2012	Latvia	CBRNe	Decontamination	Y	N	N
International Committee of the Red Cross	2014	Switzerland	CBRN	Dry decontamination Evacuation Wet decontamination	N	N	Y
Joint Chiefs of Staff	2016	America	CBRN	Decontamination Disrobe	N	N	Y

Joint Emergency Services Interoperability Programme (JESIP)	2016	United Kingdom	CBRNe	Disrobe	N	N	Y
				Dry decontamination			
				Life-saving treatment			
				Wet decontamination			
Kingston Health Sciences Centre	2018	Canada	Hazardous materials	Disrobe	N	N	N
				Re-robe			
				Wet decontamination			
Kirklees Council	2017	England	CBRNe and Hazardous materials	Disrobe	N	N	N
				Dry decontamination			
				Re-robe			
				Wet decontamination			
Law	2018	France	Chemical	Decontamination	Y	Y	N
				Shelter in place			
Law	2011	France	Radiological	Disrobe	Y	N	N
				Life-saving treatment			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Ministry of Community Safety and Correctional Services	2017	Canada	Nuclear	Decontamination	Y	N	N
Ministry of Defence	2017	United Kingdom	Radiological	Decontamination	Y	N	N
National Ambulance Resilience Unit (NARU)	2018	United Kingdom	Hazardous materials	Disrobe	N	N	N
				Dry decontamination			
				Evacuation			
				Wet decontamination			
National Ambulance Resilience Unit (NARU)	2017	United Kingdom	Chemical	Dry decontamination	N	N	N
				Disrobe			
				Wet decontamination			
National Center for Environmental Health	2014	America	Radiological	Disrobe	Y	N	Y
				Wet decontamination			
National Operational Guidance Programme	2018a	United Kingdom	Hazardous materials	Disrobe	N	N	N
				Dry decontamination			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
National Operational Guidance Programme	2018b	United Kingdom	Hazardous materials	Disrobe Decontamination Evacuation	Y	N	N
National Operational Guidance Programme	2015	United Kingdom	CBRNe	Disrobe Dry decontamination Evacuation Wet decontamination	Y	Y	Y
NATO	2014	North America/Europe	CBRN	Decontamination Evacuation	Y	N	N
New South Wales Government	2016	Australia	CBRN/hazardous materials	Evacuation Shelter in place	Y	N	Y
Newman University, Birmingham	2014	England	Hazardous materials	Disrobe Re-robe Wet decontamination	N	N	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
NHS	2019	United Kingdom	CBRNe	Disrobe	Y	Y	Y
				Dry decontamination			
				Evacuation			
				Wet decontamination			
NHS England	2019	England	Hazardous materials	Disrobe	Y	Y	Y
				Dry decontamination			
				Wet decontamination			
NHS England	2018	England	CBRN	Decontamination	N	N	Y
				Disrobe			
				Evacuation			
				Life-saving treatment			
NHS England	2015	England	Chemical	Disrobe	N	Y	Y
				Dry decontamination			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
NHS Foundation Trust	2017	United Kingdom	CBRN/hazardous materials	Disrobe	N	N	N
				Dry decontamination			
				Wet decontamination			
NHS Foundation Trust	2016	United Kingdom	CBRNe/hazardous materials	Disrobe	Y	Y	Y
				Dry decontamination			
				Life-saving treatment			
				Wet decontamination			
NHS Shetland	2014	Scotland	Chemical and Biological	Disrobe	N	N	N
				Life-saving treatment			
				Wet decontamination			
No author named	2006	Germany	CBRN	Evacuation	N	N	N
				Life-saving treatment			
				Shelter in place			
Norfolk Resilience Forum	2016	England	Hazardous materials	N	Y	Y	Y

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Oak Ridge Institute for Science and Education	2017	America	Radiological	Disrobe	Y	Y	Y
				Life-saving treatment			
				Wet decontamination			
Office of Preparedness and Emergency Management	2014	America	Hazardous materials	Disrobe	Y	Y	Y
				Dry decontamination			
				Wet decontamination			
Permanent conference on disaster preparedness and population protection	2008	Germany	Hazardous materials	Decontamination	Y	N	N
				Disrobe			
				Life-saving treatment			
Police Scotland	2018	Scotland	Hazardous materials	Disrobe	Y	N	N
				Dry decontamination			
				Evacuation			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Portsmouth and Southampton City Council	2016	England	Nuclear	Decontamination	Y	Y	Y
				Evacuation			
				Life-saving treatment			
				Shelter in place			
Public Health England	2019	England	Radiological	Disrobe	N	N	Y
				Dry decontamination			
				Evacuation			
				Shelter in place			
				Wet decontamination			
Public Health England	2018	England	CBRN	Disrobe	N	N	N
				Dry decontamination			
				Life-saving treatment			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Public Health Wales	2016	Wales	Chemical	Disrobe	N	N	N
				Dry decontamination			
				Wet decontamination			
Queensland Government	2015	Australia	Chemical, biological, radiological	Disrobe	Y	Y	Y
				Re-robe			
				Wet decontamination			
Schneider	2015	Germany	Hazardous materials	N	Y	Y	N
Scottish Government	2016	Scotland	Chemical, biological, radiological	Disrobe	N	N	Y
				Dry decontamination			
				Wet decontamination			
Scottish Government	2015	Scotland	Nuclear	N	Y	Y	N
Secretariat General de la Defense et de la Securite Nationale	2014	France	Nuclear	Evacuation	Y	N	Y
				Shelter in place			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Secretariat-General for National Defence and Security	2014	France	Biological	N	Y	N	Y
Secretariat-General for National Defence and Security	2011	France	Biological	N	Y	N	N
Secured Urban Transportation	2014	Europe	CBRNe	Disrobe Dry decontamination Wet decontamination	Y	Y	Y
Sudhoff	2016	Germany	CBRN	Wet decontamination	Y	Y	N
Swedish Civil Contingencies Agency	2019	Sweden	CBRNe/hazardous materials	Disrobe Dry decontamination Evacuation Life-saving treatment Wet decontamination	Y	N	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
Swedish Civil Contingencies Agency	2014	Sweden	CBRNe/hazardous materials	Disrobe Dry decontamination Evacuation Life-saving treatment Wet decontamination	Y	N	N
The University of British Columbia	2018	Canada	Hazardous materials	Evacuation	N	N	N
THW	2014	Germany	CBRN	Disrobe Wet decontamination	N	N	N
UK Fire and Rescue Service (UK FRS)	2018	United Kingdom	Hazardous materials	Disrobe Dry decontamination Wet decontamination	N	N	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
United States Environmental Protection Agency	2017	America	Radiological	Disrobe	Y	N	Y
				Evacuation			
				Life-saving treatment			
				Shelter in place			
				Wet decontamination			
United States Department of Labor	2019	America	Radiological	Disrobe	N	N	N
				Re-robe			
				Wet decontamination			
US Department of Health and Human Sciences	2019	America	Radiological	Disrobe	N	N	N
				Wet decontamination			
Vigipirate	2016	France	Toxic product	Disrobe	Y	N	N
				Evacuation			
				Wet decontamination			
West Virginia Board of Education	2018	America	Hazardous materials	Evacuation	N	N	N

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
West Yorkshire Police	2016	England	CBRN	Disrobe	N	N	N
				Life-saving treatment			
				Wet decontamination			
World Health Organisation	2018	World	CBRN	Disrobe	N	N	N
				Dry decontamination			
				Wet decontamination			
World Health Organisation	2017	World	Chemical	Disrobe	N	N	N
				Evacuation			
				Re-robe			
				Shelter in place			
				Wet decontamination			

Organisation	Year	Country	Incident type	Management strategy	Communication strategy	Public behaviour	Vulnerable groups
World Health Organisation	2014	World	Chemical	Disrobe	Y	N	Y
				Dry decontamination			
				Life-saving treatment			
				Wet decontamination			
World Health Organisation	No date	World	Chemical	Dry decontamination	N	N	N
				Wet decontamination			